



Material Safety Data Sheet

Conforms to ISO 11014: 2009

LIQUID FLOOR WAX

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

Product name : LIQUID WAX
Use/description of product : Floor polish
Company name : Kiarah Chemicals
 Unit 4
 Cnr. Berry and Nederveen Road
 Roodekop
 Germiston
 Tel: +2711 865 1199
 Fax: +2711 856 3671
 E-mail: kiarah@enyuka.com
Emergency number : 0861 555 777 or 021 658 5308

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characteristic : Wax
Ingredients :

- PARAFFIN 30-50%
[Xn] R65; R22
- PARAFFIN WAX 2-5%

3. HAZARD IDENTIFICATION

Main hazards : Low degree of toxicity.

Doc Id /No	Revision Date	Page No.	Revision No.
KC LIQUID FLOOR WAX MSDS	03-03-17	Page 1 of 5	Revision 1



4. FIRST-AID MEASURES

Actions

- Skin contact** : Rinse with soap and water
- Eye contact** : Rinse with water, seek medical attention
- Ingestion** : Wash out mouth with running water. If conscious, give plenty of water to drink. Do not induce vomiting. Seek medical attention
- Inhalation** : If inhaled, move to fresh air. If irritation persists, seek medical attention

5. FIRE FIGHTING MEASURES

- Extinguishing Media Suitable** : N/A
- Unusual fire/explosion hazard** : None
- Hazardous thermal (De) composition products** : Not applicable
- Special fire-fighting procedures** : Fire fighters must wear positive pressure self contained breathing apparatus and full turn-out gear

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Wear suitable protective clothing
- Environmental precautions and clean-up methods** : Absorb with an inert material and put the spilled material in a appropriate waste disposal.

Note: See section 8 for personal protective equipment and section 13 for waste disposal.

7. HANDLING AND STORAGE

- Handling** : Keep away from heat. Keep away from sources of ignition. Do not ingest. Avoid prolonged, direct contact with skin. Do not breathe fumes or vapor.
- Storage** : Keep container tightly closed. Keep container in a cool well ventilated area. Do not store below 0°C (32°F). Keep out of reach of children.
- Packaging materials**
 - Recommended use** : Use original container
 - Not suitable** : N/A

Doc Id /No	Revision Date	Page No.	Revision No.
KC LIQUID FLOOR WAX MSDS	03-03-17	Page 2 of 5	Revision 1

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

- Engineering measures** : Ensure that work station is adequately ventilated
- Hygiene measures** : Wash hands before and after use
- Personal protective equipment**
- Respiratory system** : Wear appropriate respirator when ventilation is inadequate.
- Skin and body** : Personal protective clothing
- Hands** : Wear gloves
- Eyes** : N/A

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state** : Viscous liquid
- Colour** : Off white
- Odour** : Paraffin
- Boiling point** : 100°C
- Melting point** : May start to solidify at 4°C (39.2°F)
- Solubility in water** : Not soluble
- Fire hazards in presence of various substances** : Flammable in presence of open flames.

10. STABILITY AND REACTIVITY

- Stability** : This product is stable under normal conditions.
- Conditions to avoid** : Extreme heat and high energy sources of ignition.
- Materials to avoid** : Slightly reactive to oxidizing agents
- Hazardous Decomposition Products** : N/A

11. TOXICOLOGICAL INFORMATION

- Hazardous ingredients** : Paraffin
- Routes of exposure** : Refer to section 4

12. ECOLOGICAL INFORMATION

- Mobility** : Readily absorbed into soil.
- Persistence and degradability** : Not readily biodegradable.
- Biocumulative potential** : Slight bioaccumulation potential.
- Other adverse effects** : Slight ecotoxicity.




Doc Id /No	Revision Date	Page No.	Revision No.
KC LIQUID FLOOR WAX MSDS	03-03-17	Page 3 of 5	Revision 1

13. DISPOSAL CONSIDERATIONS

Methods of disposal : Observe local disposal methods

14. TRANSPORT INFORMATION

Local/International transport regulations:

Regulatory information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
SABS 0228 CLASS	Not regulated	-	-			
IMDG Class	Not regulated	-	-			
IATA-DGR Class	Not regulated	-	-			

South African Transport Legislation: See SABS 0228, 0229, 0231, 0232-1, 0232-3, 1518

15. REGULATORY INFORMATION

SABS 0263/EU Regulations

Hazard symbol(s) :



Harmful

Indication of danger :

Harmful

Risk phrases

R22 – Harmful if swallowed
 R36/38 – Irritating to eyes and skin.
 R43 – May cause sensitization by skin contact.

Safety phrases

S2 - Keep out of reach of children.
 S24 – Avoid skin contact.
 S37 – Wear suitable gloves.
 S46 – If swallowed, seek medical advice immediately and show this Document, product container or label.

Contains

: PETROLEUM DISTILLATE.

Product use

: Consumer application.

South Africa

: See The Occupational Health & Safety Act 85 of 1993.

Storage legislation

: See SABS 072

16. OTHER INFORMATION

Other special considerations

: N/A

Notice to reader

:

The above information is believed to be correct but does not purport to be inclusive and shall only be used as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product

Doc Id /No	Revision Date	Page No.	Revision No.
KC LIQUID FLOOR WAX MSDS	03-03-17	Page 5 of 5	Revision 1